Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: Color Agent Yellow

Product identifier: 100505

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on

use:

Pigment Dispersion

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





GHS Classification: Serious Eye Damage/Eye Irritation Category 2A

Flammable Liquid Category 3

GHS Signal Word: Warning

GHS Hazard Statements: Flammable liquid and vapour. Causes serious eye irritation.

GHS Precautionary Statements:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Page 1 of 10

Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

First Aid Measures:

Replaces:

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

Storage: Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

Reports have associated repeated and prolonged occupational overexposure to

classified: solvents with permanent brain and nervous system damage.

3. Composition/information on ingredients				
Chemical Component: CAS number and other		% (or range) of ingredient		
	unique identifiers	% (or range) or ingredient		
4-Hydroxy-4-methyl-2-pentanone	123-42-2	10 - 30		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Flush eyes gently with water for at least 15 minutes, lifting upper &

lower eye lids. Seek immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing, launder

immediately, and discard contaminated leather goods. Get medical

attention immediately. Remove contaminated clothing and

continue flushing with water. Wash affected area thoroughly with soap and water. Seek medical advice if symptoms persist Wash

clothing before reuse.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. If symptoms develop, immediately

Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

Replaces:

move individual away from exposure and into fresh air. Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt, and administer artificial respiration. If breathing is difficult, exposure

and administer artificial respiration. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably

on a doctor's advice.

Ingestion: Severely irritating. Do not induce vomiting. Seek medical attention

immediately. Drink 2 glasses of water or milk to dilute. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. If individual is drowsy or unconscious, do not give anything by mouth; place individual on left side with head down. If possible, do not leave

individual unattended.

Most important symptoms/effects, acute and delayed:

Most important No data available

symptoms/effects (Acute):

Most important Diacetone Alcohol: Prolonged or repeated contact may cause

symptoms/effects (Delayed): dermatitis.

May cause liver and kidney damage.

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water

spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Regular foam Carbon dioxide Dry

chemical

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion

Hazards:

Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B).

Vapors are heavier than air and may travel to a source of ignition

and flash back.

Hazardous Combustion

Products:

Carbon dioxide, Carbon monoxide, Hydrocarbons

Special protective equipment Do not enter fire area without proper protection including self-

Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

Replaces:

and precautions for firefighters: contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.

Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Activate available exhaust ventilation equipment in the immediate spill area. All personnel in the area should be protected as in Section 8. Avoid breathing vapors. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

7. Handling and storage

Precautions for safe handling:

Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. All hazard precautions given in the data sheet must be observed. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Do not take internally. Keep container closed when not in use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. Store

in a cool dry place For maximum product quality, avoid prolonged

Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

Replaces:

storage at temperatures above 75 °F (25 °C). Keep away from heat, sparks, and flame Store in a tightly closed container Avoid contact

with incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong alkalies Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
4-Hydroxy-4-methyl-2-	50 ppm	50 ppm	No data available
pentanone			

Appropriate engineering

controls:

Local exhaust ventilation or other engineering controls are normally

required when handling or using this product to avoid

overexposure. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.

Explosion proof exhaust ventilation should be used.

Individual protection measures, such as personal protective equipment:

Eye Protection: Wear chemically resistant safety glasses with side shields when

handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. Splash proof chemical goggles are recommended to

protect against the splash of product.

Skin Protection: Avoid skin contact by wearing chemically resistant gloves, an apron

and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Protective gloves and proper clothing should be worn to prevent skin contact. Gloves should be made of neoprene or natural rubber. To prevent repeated or prolonged skin contact, wear impervious clothing and boots

Respiratory Protection: Respiratory protection will be required when handling this product.

Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Use a NIOSH approved respirator designed to remove particulate

matter and organic solvent vapors.

Other Protective Equipment: Splash proof chemical goggles are recommended to protect against

the splash of product. Protective gloves and proper clothing should

be worn to prevent skin contact. Gloves should be made of

Page **5** of **10**

Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

Replaces:

neoprene or natural rubber. To prevent repeated or prolonged skin

contact, wear impervious clothing and boots

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Paste
Color: Yellow
Odor: Aromatic

Odor threshold: No data available

pH: Neutral

Melting Point/Freezing Point (°C):

No data available

Initial Boiling Point and Boiling Range (°C): 168 Flash Point (°C): 57.7

Evaporation Rate:No data available
Flammability (solid, gas):
No data available

Upper/lower flammability or explosive limits:
Upper Flammable/Explosive Limit (%): 6.9
Lower Flammable/Explosive Limit (%): 1.8

Vapor Pressure: No data available

Vapor Density: Heavier than air. Vapors that evolve from this product

will tend to settle and accumulate near the floor.

Relative Density: 1.58 **Solubility(ies):** Insoluble

Partition coefficient: n-octanol/water:

Auto-ignition Temperature (°C):

Decomposition Temperature:

Viscosity:

No data available

No data available

No data available

No data available

VoC (as packaged-less exempts and water):

2.06 lbs/qal or 247 g/L

VHAP Content by weight – as packaged: 0

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardousNo data available

reactions:

Conditions to avoid (e.g., static Contamination

discharge, shock, or vibration):

Incompatible materials: Strong alkalies Strong oxidizing agents

Hazardous decompositionCarbon dioxide Carbon monoxide Hydrocarbons

products:

Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

Replaces:

11. Toxicological information

Information on the likely routes

Ingestion, Skin contact, Eye contact, Absorption

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the

No data available

physical, chemical and toxicological characteristics:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause severe respiratory irritation, dizziness, weakness, fatigue, nausea,

headache and possible unconsciousness. Excessive inhalation of vapors may cause nasal and respiratory irritation, acute nervous system depression, fatigue, weakness,

nausea, headache and dizziness.

Airborne overexposure well above the PEL may result additionally in eye irritation,

headache, chemical bronchitis, asthma-like findings or pulmonary edema.

Inhalation Toxicity: Toxic! Can cause systemic damage (see "Target Organs). Respiratory failure is

possible at high doses.

Skin Contact: Can cause severe irritation, defatting, and dermatitis. Irritation effects may last for

hours or days but will not likely result in permanent damage.

Skin Absorption: Toxic if absorbed through the skin. Likely to cause significant systemic damage.

Causes skin irritation. Contact may cause irritation and possible dermatitis or sensitization. Symptoms may include redness, burning, drying and cracking of skin,

and skin burns

Eye Contact: Can cause severe irritation. Eye contact may result in corneal injury. Symptoms may

include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Temporary vision impairment (cloudy or blurred vision) is possible. Contact with liquid or vapor may result in irritation,

redness, tearing, and blurred vision.

Ingestion Irritation: Severely irritating to mouth, throat, and stomach. Can cause abdominal discomfort,

nausea, vomiting and diarrhea. Causes gastrointestinal tract irritation, nausea, vomiting, diarrhea and possible ulcerations to mucous membranes. Aspiration of material into the lungs can cause chemical pneumonitis which can be fatal.

Ingestion Toxicity: Toxic if swallowed. May cause target organ failure and/or death.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA. Not listed by ACGIH,

IARC, NIOSH, NTP OR OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause severe respiratory irritation,

Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

Replaces:

dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

Toxic! Can cause systemic damage upon prolonged and/or repeated exposure (see

"Target Organs).

Skin Contact: Upon prolonged or repeated contact can cause severe irritation, defatting, and

dermatitis. May cause lingering affects but not likely to result in permanent damage

if the exposure is eliminated.

Skin Absorption: Upon prolonged or repeated exposure, toxic if absorbed through the skin. Likely to

cause systemic damage.

Numerical measures of toxicity (such as acute toxicity estimates) Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
4-Hydroxy-4-methyl-2- pentanone	Oral LD50 Rat 4000 mg/kg		

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No data available	N	N	N	

12. Ecological information

Ecotoxicity (aquatic andThis material is not expected to be harmful to the ecology. This

terrestrial, where available): material is toxic to aquatic organisms and should not be released to

sewage, draining systems or any body of water exceeding

concentrations of approved limits under applicable regulations and

permits.

Persistence and degradability: No data available

Bioaccumulative potential: No data

Mobility in soil: No data available
Other adverse effects (such as No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

Product Name: Color Agent Yellow

Product identifier: 100505 Revision Date: 08-18-2016

Replaces:

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is a hazardous waste.

Safe Handling of Waste: This material as supplied, if discarded, would be regulated as a

hazardous waste under RCRA (40 CFR 261).

Waste treatment methods Dispose of by incineration following Federal, State, Local, or

(including packaging): Provincial regulations.

Waste Disposal Code(s): D001

14. Transport information

UN number:

UN proper shipping name:

Transport hazard class(es):

Packing group:

No data available

No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: A component or components of this product are listed on the

TSCA Inventory of Existing Chemical Substances.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available		N	N	N	N

16. Other information, including date of preparation or last revision.

Revision Date: 08-18-2016

Revision Number: 8

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use,

Product Name: Color Agent Yellow

Product identifier: 100505 **Revision Date:** 08-18-2016

Replaces:

recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their

circumstances