Product Name: Kitty Hair Product identifier: 100868 Revision Date: 08-19-2016 Replaces:



1. Identification		
Product identifier used on the label:		
Product Name: Product identifier:	Kitty Hair 100868	
Other means of identification		
Synonyms:	No data available	
Recommended use of the chemical and restrictions on use:	Fiberglass reinforced bodyfiller	
Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party		
Chemical Manufacturer / Importer / Distributor:	ITW Evercoat a division of Illinois Tool Works Inc. 6600 Cornell Road Cincinnati, OH 45242 513-489-7600	
Emergency phone number:	CHEMTREC: 1-800-424-9300 CANUTEC: 1-613-996-6666	

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification:	Reproductive Toxicity Category 1B
	Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1
	Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 1
	Skin Corrosion/Irritation Category 2
	Serious Eye Damage/Eye Irritation Category 2A
	Germ Cell Mutagenicity Category 2
	Carcinogenicity Category 2
	Flammable Liquid Category 3
	Hazardous to the aquatic environment - Acute Category 3
GHS Signal Word:	Danger
GHS Hazard Statements:	Flammable liquid and vapour.
	Page 1 of 10

Product Name: Kitty Hair Product identifier: 100868 Revision Date: 08-19-2016 Replaces:

	Causes skin irritation.
	Causes serious eye irritation.
	Suspected of causing genetic defects.
	Suspected of causing cancer.
	May damage fertility or the unborn child.
	Causes damage to organs.
	Causes damage to organs through prolonged or repeated exposure.
	Harmful to aquatic life.
GHS Precautionary Statements:	
Safety Precautions:	Obtain special instructions before use.
,	Do not handle until all safety precautions have been read and understood.
	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
	Keep container tightly closed.
	Ground/bond container and receiving equipment.
	Use explosion-proof electrical/ventilating/lighting equipment.
	Use only non-sparking tools.
	Take precautionary measures against static discharge.
	Do not breathe dust/fume/gas/mist/vapours/spray.
	Wash thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Avoid release to the environment.
	Wear protective gloves/protective clothing/eye protection/face protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water.
Thist And Medisales.	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.
	IF exposed: Call a POISON CENTER or doctor/physician.
	IF exposed or concerned: Get medical advice/attention.
	Get medical advice/attention if you feel unwell.
	Specific treatment (see on this label).
	If skin irritation occurs: Get medical advice/attention.
	If eye irritation persists: Get medical advice/attention.
	In case of fire: Use appropriate media to extinguish.
Storage:	Keep container tightly closed.
Storage.	Store in a well-ventilated place. Keep cool.
	Store locked up.
Disposal:	Dispose of contents/container in accordance with
	local/regional/national/international regulation for hazardous wastes.
Hazards not otherwise	Reports have associated repeated and prolonged occupational overexposure to
classified:	solvents with permanent brain and nervous system damage.

3. Composition/information on ingredients		
Chemical Component:	CAS number and other	% (or range) of ingredient
	unique identifiers	% (of failinge) of high edient
Styrene	100-42-5	10 - 30
Dimethylaniline (DMA)	121-69-7	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact:	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention. Flush eyes gently with water for at least 15 minutes, lifting upper & lower	
Skin Contact:	eye lids. Seek immediate medical attention. Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing and continue flushing with water. Wash affected area thoroughly with soap and water. Seek medical advice if symptoms persist Wash clothing before reuse.	
Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately If symptoms develop, immediately move individual away from exposure and into fresh air. Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt, and administer artificial respiration. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice.	
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. If individual is drowsy or unconscious, do not give anything by mouth; place individual on left side with head down. If possible, do not leave individual unattended. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.	
Most important symptoms/effects, acute and delayed:		

Most important

No data available

Product Name: Kitty Hair Product identifier: 100868 Revision Date: 08-19-2016 Replaces:	
symptoms/effects (Acute): Most important symptoms/effects (Delayed):	No data available
Indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid information available
5. Fire-fighting measures	
Suitable (and unsuitable) extingu	ishing media:
Suitable extinguishing media: Unsuitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire. Regular foam Carbon dioxide Dry chemical No data available
Fire and/or Explosion	chemical (e.g., nature of any hazardous combustion products): Vapors may be ignited by sparks, flames or other sources of ignition
Hazards:	if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide, Styrene oxide, Hydrocarbons
Special protective equipment and precautions for fire- fighters:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat. Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment.
6. Accidental release measures	
Personal precautions,	No health affects expected from the clean-up of this material if

Personal precautions, protective equipment, and emergency procedures: Methods and materials for No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in

Product Name: Kitty Hair Product identifier: 100868 Revision Date: 08-19-2016

Replaces:

Керіасез.	
containment and cleaning up:	regular trash. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Activate available exhaust ventilation equipment in the immediate spill area. All personnel in the area should be protected as in Section 8. Avoid breathing vapors. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.
7. Handling and storage	
Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure. All hazard precautions given in the data sheet must be observed. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Do not take internally. Keep container closed when not in use. Keep out of the reach of children.
Conditions for safe storage, inclu	uding any incompatibilities
Conditions for safe storage:	Store in a cool dry place. Isolate from incompatible materials. Store in a cool dry place For maximum product quality, avoid prolonged storage at temperatures above 75 °F (25 °C). Keep away from heat, sparks, and flame Store in a tightly closed container Avoid contact with incompatible materials.
Materials to Avoid/Chemical	Peroxides Strong acids Strong oxidizing agents Polymerization

8. Exposure controls/personal protection

Incompatibility:

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

catalysts

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Styrene	100 ppm	20 ppm	40 ppm STEL; 170
			mg/m3 STEL
Dimethylaniline (DMA)	5 ppm	5 ppm	No data available
Appropriate engineering controls:No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits. Explosion proof exhaust ventilation should be used.			
Individual protection measures, such as personal protective equipment:			
Eye Protection:	handling this product	stant safety glasses with sic . Do not wear contact lense	

	chemical goggles are recommended to protect against the splash of product.
Skin Protection:	Not normally considered a skin hazard. Where use can result in skin
	contact, practice good personal hygiene and wear a barrier cream
	and/or impervious surgical style gloves. Wash hands and other
	exposed areas with mild soap and water before eating, drinking,
	and when leaving work. Protective gloves and proper clothing
	should be worn to prevent skin contact. Gloves should be made of
	neoprene or natural rubber. To prevent repeated or prolonged skin
	contact, wear impervious clothing and boots
Respiratory Protection:	Respiratory protection may be required to avoid overexposure
	when handling this product. General or local exhaust ventilation is
	the preferred means of protection. Use a respirator if general room
	ventilation is not available or sufficient to eliminate symptoms. Use
	a NIOSH approved respirator designed to remove particulate
	matter and organic solvent vapors.
Other Protective Equipment:	Splash proof chemical goggles are recommended to protect against
• •	the splash of product. Protective gloves and proper clothing should
	be worn to prevent skin contact. Gloves should be made of
	neoprene or natural rubber. To prevent repeated or prolonged skin
	contact, wear impervious clothing and boots
	······································

9. Physical and chemical properties

Appearance (physical state, color, etc.): Appearance (physical state): Color: Odor: Odor threshold: pH: Melting Point/Freezing Point (°C): Initial Boiling Point and Boiling Range (°C): Flash Point (°C): Evaporation Rate: Flammability (solid, gas):	Paste No data available Aromatic No data available Neutral No data available 145 37.5 No data available No data available
Upper/lower flammability or explosive limits Upper Flammable/Explosive Limit (%):	
Lower Flammable/Explosive Limit (%): Vapor Pressure:	1.1 No data available
Vapor Density:	Heavier than air. Vapors that evolve from this product will tend to settle and accumulate near the floor.
Relative Density:	1.62
Solubility(ies):	Insoluble
Partition coefficient: n-octanol/water: Auto-ignition Temperature (°C):	1.36 No data available
	Page 6 of 10

Product Name: Kitty Hair Product identifier: 100868 Revision Date: 08-19-2016 Replaces:

Decomposition Temperature:	No data available
Viscosity:	No data available
VOC (as applied*- 2% by wt hardener- less	0.82 lbs/gal or 98 g/L
exempts and water):	
Percent Solids by weight – as packaged:	80.00
Percent Solids by weight – as applied* - 2%	93.80
by wt hardener:	
VHAP Content by weight – as packaged:	20
VHAP Content by weight – as applied* - 2%	6.2
by weight hardener:	

10. Stability and reactivity

Reactivity: Chemical stability: Possibility of hazardous	No data available Stable under normal conditions. No data available
reactions:	
Conditions to avoid (e.g., static	No data available
discharge, shock, or vibration):	
Incompatible materials:	Peroxides Strong acids Strong oxidizing agents Polymerization catalysts
Hazardous decomposition products:	Carbon dioxide Carbon monoxide Styrene oxide Hydrocarbons

11. Toxicological information

Information on the likely routes of exposure (inhalation,	Ingestion, Skin contact, Eye contact, Absorption
ingestion, skin and eye contact): Symptoms related to the physical, chemical and toxicological characteristics:	No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache. Excessive inhalation of vapors may cause nasal and respiratory irritation, acute nervous system depression, fatigue, weakness, nausea, headache and dizziness. Airborne overexposure well above the PEL may result additionally in eye irritation,
	headache, chemical bronchitis, asthma-like findings or pulmonary edema.
Skin Contact:	Can cause minor skin irritation, defatting, and dermatitis.
Skin Absorption:	No absorption hazard in normal industrial use. Causes skin irritation. Contact may cause irritation and possible dermatitis or sensitization. Symptoms may include

Eye Contact:	redness, burning, drying and cracking of skin, and skin burns Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue. Contact with liquid or vapor may result in irritation, redness,
Ingestion Irritation:	tearing, and blurred vision. Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Causes gastrointestinal tract irritation, nausea, vomiting, diarrhea and possible ulcerations to mucous membranes. Aspiration of material into the lungs can cause chemical pneumonitis which can be fatal.
Ingestion Toxicity:	Harmful if swallowed. May cause systemic poisoning.
Long-Term (Chronic) Health Effec	ts:
Carcinogenicity:	Suspected of causing cancer. The International Agency for Research on Cancer (IARC) has classified styrene as a group 2B carcinogen (possibly carcinogenic to humans).
Reproductive and	May damage fertility or the unborn child.
Developmental Toxicity:	
Mutagenicity:	Suspected of causing genetic defects.
Inhalation:	Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates) Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Styrene	Oral LD50 Rat 5000 mg/kg		Inhalation LC50 (4h) Rat 24 g/m3
Dimethylaniline (DMA)	Oral LD50 Rat 1410 mg/kg		

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Na	ime OSH	A Carcinogen	IARC Carcinogen	NTP Carcinogen	
Styrene		Ν	Y	γ	

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):	Toxic to aquatic life. Styrene is toxic to aquatic organisms and should not be released to sewage, draining systems or any body of water exceeding concentrations of approved limits under applicable regulations and permits.
Persistence and degradability:	No data available
Bioaccumulative potential:	No data
Mobility in soil:	No data available
Other adverse effects (such as	No data available
hazardous to the ozone layer):	

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations	
Description of waste residues and	information on their safe handling and methods of disposal, including the
disposal of any contaminated pac	kaging
Description of waste residues:	Spent or discarded material is a hazardous waste.
Safe Handling of Waste:	This material as supplied, if discarded, would be regulated as a
	hazardous waste under RCRA (40 CFR 261).
Waste treatment methods	Dispose of by incineration following Federal, State, Local, or
(including packaging):	Provincial regulations.
Waste Disposal Code(s):	D001
14. Transport information	

UN number:	UN3269
UN proper shipping name:	POLYESTER RESIN KIT
Transport hazard class(es):	3
Packing group:	III

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status:

The intentional ingredients of this product are listed.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Styrene	100-42-5	N	N	Y	Y
Dimethylaniline (DMA)	121-69-7	N	N	Y	N
Aniline	62-53-3	Ν	N	Y	Y
Crystalline Silica (Quartz)	14808-60-7	N	N	Ν	Ý
Styrene Oxide	96-09-3	N	N	Y	Y

16. Other information, including date of preparation or last revision.

Revision Date:	08-19-2016
Revision Number:	8

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances