

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : STAR BRITE MARINE FOAM DECK+PAD CLEANER  
Product code : 2049XX

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Cleaning agent. Other vehicle (all types) cleaning and care products.

### 1.3. Details of the supplier of the safety data sheet

Supplier : Star brite  
4041 SW 47th Avenue  
33314 Fort Lauderdale, Florida  
United States of America  
Telephone : +1-954 587-6280  
E-mail : info@starbrite.com  
Website : http://www.starbrite.com

### 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

US - Telephone : +1-703-527-3887 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

Chemtrec 001 703 5273887 (24/7)

## SECTION 2 HAZARDS IDENTIFICATION \*

### 2.1. Classification of the substance or mixture

GHS Classification (HCS) : Skin corrosion, category 1. Serious eye damage, category 1.  
§1910.1200)

### 2.2. Label elements

Label elements (1910.1200)

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H314 Causes severe skin burns and eye damage.  
P260 Do not breathe spray.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
+P331  
P303+P361 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
+P353  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.



**SAFETY DATA SHEET**  
According to OSHA HazCom 2024, 29 CFR 1910.1200

P305+P351	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
+P338	
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see section 4 on the SDS).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container to an official chemical waste depot.

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w%)	CAS nr.	Additional CAS nr.	Hazards
Disodium metasilicate pentahydrate	1 - < 5	10213-79-3	6834-92-0	Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335
Hydroxyphenyl-benzotriazole-derivative	< 0,1	----	----	Skin Sens. 1A; H317 Aquatic Chronic 2; H411

Occupational exposure limit(s), if relevant, are listed in section 8. The actual concentration has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variations.

Reference is made to chapter 16 for full text of each relevant H phrase.

**SECTION 4 FIRST-AID MEASURES**

**4.1. Description of first aid measures**

First aid measures

Inhalation	: Move victim into fresh air. Transport to a hospital immediately.
Skin contact	: Immediately wash off skin with plenty of water. Take off contaminated clothing. Consult a doctor in case burns or irritation occur.
Eye contact	: Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Transport to a hospital immediately.
Ingestion	: Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Transport to a hospital immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Effects and symptoms

Inhalation	: Corrosive. May cause sore throat and coughing. May cause shortness of breath or lack of breath.
Skin contact	: Corrosive. May cause redness, pain and severe burns (blisters). May produce an allergic reaction.
Eye contact	: Corrosive. May cause redness and severe pain. Tears.
Ingestion	: Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, vomiting and diarrhoea.

**4.3. Indication of any immediate medical attention and special treatment needed**

Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

\*

### 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.  
Not suitable : Use of heavy stream of water may spread fire.

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation. Attention: extinguishing water can be corrosive.

NFPA hazard rating :



Other information : Collect contaminated fire extinguishing water separately. Avoid release of product into sewers, surface water and/or ground water.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Large scale discharge causing a very high pH may impair the biological system in sewage plants. Inform the official bodies if necessary.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. When dissolving or diluting, always add product to water. NEVER vice versa. Do not breathe spray. Avoid contact with eyes and unnecessary contact to skin. Avoid splashing. Wear protective clothing. After contact with skin, wash immediately with plenty of water.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : Steel (except stainless steel). PET and PETG.

## 7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products. Corrosive to the respiratory tract.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION \*

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product.


### 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots. Suitable material: PVC. Indication of permeation breakthrough time: not known.

Respiratory protection : Take care of sufficient ventilation.

Hand protection : Wear appropriate safety gloves. Suitable material: PVC. ± 0,5 mm. Indication of permeation breakthrough time: not known.

Eye protection : Wear appropriate safety glasses with side shields when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES \*

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid.  
Colour : Colourless.  
Odour : Characteristic.  
Odour threshold : Not known.  
pH : 13  
Alkali reserve (g NaOH/100 ml) : 0,48



**SAFETY DATA SHEET**  
According to OSHA HazCom 2024, 29 CFR 1910.1200

Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: Not applicable.	Does not contain combustible substances in concentrations higher than 1%.
Flammability	: Not flammable.	
Auto ignition temperature	: > 180 °C	
Boiling point/boiling range	: 100 °C	
Freezing point	: 0 °C	
Explosion limits (% in air)	: Not applicable.	
Oxidising properties	: Not applicable.	
Decomposition temperature	: Not known.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: 2300 Pa	
Relative vapour density	: Not relevant.	The solvent content of this product is less than 1%.
Relative density (20°C)	: 1,025 g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1) Mixture of liquids and solids.
Particle characteristics	: Not applicable.	Liquid.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from acids.

### 10.6. Hazardous decomposition products

Hazardous decomposition : Not known.  
products

## SECTION 11 TOXICOLOGICAL INFORMATION

\*

### 11.1. Toxicological (health) effects

No toxicological research has been carried out on this product.

#### Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Corrosive. May cause sore throat and coughing. May cause pulmonary oedema. Symptoms of pulmonary oedema often manifest after several hours.

Sensitisation	: Does not contain substances classified as respiratory sensitisers. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Corrosive. May cause redness, pain and burns (blisters).
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Corrosive. Risk of serious damage to eyes.
Ingestion	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
Corrosion/irritation	: Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.
Target organ toxicity (SE)	: No specific effects and/or symptoms are known.
Target organ toxicity (RE)	: No specific effects and/or symptoms are known.

## 11.2. Information on other hazards

IARC	: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## SECTION 12 ECOLOGICAL INFORMATION

\*

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity	: Calculated LC50 (fish): 710 mg/l. Calculated EC50 (waterflea): 1033 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment.
-------------	---

### 12.2. Persistence and degradability

Persistence – degradability : No specific information known.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : No specific information known.

**12.4. Mobility in soil**

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

**12.6. Other adverse effects**

Other information : Not applicable.

**SECTION 13 DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.

EPA RCRA code : D0002

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

**SECTION 14 TRANSPORT INFORMATION**

\*

**14.1. UN number or ID number**

UN nr. : UN 3266

**14.2. UN proper shipping name**

Transport name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. ( Disodium metasilicate pentahydrate )

Transport name (IMDG, IATA) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. ( Disodium metasilicate pentahydrate )

**14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards**

DOT (land)

Class : 8

Packaging group : III

Danger label : 8

ERG number : 154



Other information

: Not intended for carriage by tank-vessels on inland waterways. This product is exempted from labeling, specification packaging, shipping paper, and placarding requirements when shipped in inner packagings not over 5L, each package in strong outer packaging under 30 kg, unless shipped by aircraft or vessel.



**SAFETY DATA SHEET**  
According to OSHA HazCom 2024, 29 CFR 1910.1200

IMDG (sea)

Class : 8  
Packaging group : III  
EmS (fire / spill) : F - A / S - B  
Marine pollutant : No

IATA (air)

Class : 8  
ERG code : 8L

**14.6. Special precautions for user**

Other information : Country specific variations may apply.

**14.7. Maritime transport in bulk according to IMO instruments**

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments.  
Packaged liquids are not considered bulk.

**SECTION 15 REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulations : OSHA HazCom 2024, 29 CFR 1910.1200 and other Regulations.

United States TSCA (Toxic Substances Control Act) inventory

: All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

US State Regulation

California  
Proposition 65 : This product does not contain chemicals known to the State of California to cause cancer, birth, or any other reproductive effects in concentrations exceeding their No Significant Risk Levels or Maximum Allowable Dose Levels.

**SECTION 16 OTHER INFORMATION**

\*

**16.1. Other information**

The information in this safety data sheet is compiled in compliance with Hazcom 1910.1200. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ATE	: Acute Toxicity Estimate
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
DOT	: Department of Transportation
DSL	: Domestic Substances List
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
HPA	: Hazardous Products Act
HPR	: Hazardous Products Regulations
IATA	: International Air Transport Association
IBC code	: The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.



**SAFETY DATA SHEET**  
According to OSHA HazCom 2024, 29 CFR 1910.1200

---

IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
OSHA	: United States Occupational Safety and Health Administration
PBT	: Persistent, Bioaccumulative and Toxic
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative
WHMIS	: Workplace Hazardous Materials Information System

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc. Also used: OSHA HazCom 2024, 29 CFR 1910.1200.

Full text of H-phrases mentioned in section 3:

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Country / Language code : US / EN

Number format : "," used as decimal separator.

Date of preparation or latest revision : 2025-09-10

---

End of safety data sheet.