SAFETY DATA SHEET



Revision Date 06-Sep-2016 Version 3

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Product code EZ Tex - 7100 Marine Epoxy Repair Compound - Part A 710010A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restrictions on use

2-Part Epoxy Copmpound No information available

1.3 Details of the supplier of the safety data sheet

Kop-Coat, Inc. / Pettit Marine Paint Marine Group 36 Pine Street Rockaway, NJ 07866 1-800-221-4466

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

2.2 Label elements

Signal Word Warning

Hazard Statements Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause respiratory irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance

This product is a mixture. Health hazard information is based on its components. **Mixture**

Chemical Name	CAS-No	Weight %
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	25068-38-6	40 - 50
Neopentyl glycol diglycidyl ether	17557-23-2	10 - 20
REACTION PRODUCT: BISPHENOL F-(EPICHLORHYDRIN) MW <= 700	28064-14-4	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice

Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician or poison control center immediately.	
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a poison control center or doctor for treatment advice.	
Inhalation	Move victim to fresh air. Call a physician or poison control center immediately. Apply artificial respiration if victim is not breathing.	
Ingestion	Gently wipe or rinse the inside of the mouth with water. Call a physician or poison control center immediately. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	See Section 2.2, Label Elements and/or Section 11, Toxicological effects.	
4.3 Indication of any immediate medical attention and special treatment needed		
Notes to physician	There is no specific antidote for effects from overexposure to this material. Treat symptomatically.	

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, fog, Carbon dioxide (CO₂), foam or dry chemical. Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire.

Unsuitable Extinguishing Media None known based on information supplied.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Combustion Products Possible formation of carbon oxides, nitrogen oxides, and hazardous organic compounds.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

Evacuate personnel to safe areas. Thoroughly decontaminate all protective equipment after use. Use water spray to cool fire-exposed containers. Move non-burning material, as feasible, to a safe location as soon as possible. As in any fire, wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill. Stop leak if you can do it without risk. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Avoid exceeding of the given occupational exposure limits (see section 8).

6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

	Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean contaminated surface thoroughly. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Use according to package label instructions. Empty containers may retain product residue or vapor. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.	
Hygiene measures	Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.	
7.2 Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep away from food, drink and animal feedingstuffs. Keep from freezing.	
Materials to Avoid	No materials to be especially mentioned.	

8. Exposure controls/personal protection

8.1 Exposure Guidelines

8.2 Appropriate engineering controls

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
8.3 Individual protection measures	, such as personal protective equipment
Eye/Face Protection	Safety glasses with side-shields.
Skin and body protection	Remove and wash contaminated clothing before re-use. Wear protective gloves/ protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene measures	See section 7 for more information

9. Physical and chemical properties

Physical state	Solid	
Appearance	Paste	
Color	White	
Odor	sweet	
Odor Threshold	No information available	
Property	Values	Remarks • Methods
рН		Not Applicable
Melting/freezing point		No information available
Boiling point/boiling range		No information available
Flash Point		Not Applicable
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		
upper flammability limit		No information available
lower flammability limit		No information available
Vapor pressure		No information available
Vapor density		No information available
Specific Gravity		No information available
Water solubility		No information available
Solubility in other solvents		No information available
Partition coefficient		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic	> 22 mm2/s	
Viscosity, dynamic		No information available
Explosive properties		No information available
Oxidizing Properties		No information available

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

No information available.

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50 45,000.00 mg/kg

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) 25068-38-6	11400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Neopentyl glycol diglycidyl ether 17557-23-2	4500 mg/kg (Rat)	-	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information
May cause irritation
Component Information
No information available

Serious eye damage/eye irritation

<u>Product Information</u>
Dust contact with the eyes can lead to mechanical irritation <u>Component Information</u>
No information available

Respiratory or skin sensitization

Product Information
No information available
Component Information
No information available

Germ cell mutagenicity

Product Information
No information available
Component Information
No information available

Carcinogenicity

Product Information • No information available

Component Information

No information available

Reproductive toxicity

Product Information

No information available

Component Information

No information available

STOT - single exposure

Inhalation of dust may irritate nose, throat and/or lungs.

STOT - repeated exposure

• No information available

Other adverse effects

Product Information • No information available <u>Component Information</u> • No information available

Aspiration hazard

Product Information
No information available
Component Information
No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

10 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) 25068-38-6	-	LC50: 96 h Fish 1.3 mg/L	LC50: 48 h daphnia 2.1 mg/L
REACTION PRODUCT: BISPHENOL F-(EPICHLORHYDRIN) MW <= 700 28064-14-4	-	LC50: 96 h Fish 1.5 mg/L	LC50: 48 h daphnia 1.7 mg/L

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) 25068-38-6	2.64-3.78
Neopentyl glycol diglycidyl ether 17557-23-2	0.23
REACTION PRODUCT: BISPHENOL F-(EPICHLORHYDRIN) MW <= 700 28064-14-4	3.242

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

Discharge into the environment must be avoided

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT	Not regulated
MEX	no data available
IMDG	
Proper shipping name	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, PG III (Bisphenol-A Epichlorohydrin resin)
Special Provisions	Inner packagings 5 L (liquid) or 5 kg (solids) or less: Not regulated (per IMDG Code 2.10.2.7)
Marine pollutant	Marine pollutant
ΙΑΤΑ	Not regulated
Proper shipping name	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, PG III (Bisphenol-A Epichlorohydrin resin)
Special Provisions	Inner packagings 5 L (liquid) or 5 kg (solids) or less: Not restricted (per Special Provision A197)

15. Regulatory information		
15.1 International Inventories		
TSCA	Complies	
DSL	Complies	
EINECS/ELINCS	•	
ENCS		
IECSC		
KECL	•	
PICCS	•	
AICS	•	
NZIoC		

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Epichlorohydin - 106-89-8	Carcinogen
	Male Reproductive

16. Other information				
<u>NFPA</u>	Health Hazard 2	Flammability 1	Instability 0	Physical and chemical hazards
HMIS	Health Hazard 2*	Flammability 1	Physical Hazard 0	Personal protection X
Ceiling (C) DOT (Departmen EPA (Environme IARC (Internation International Air International Man NIOSH (National NTP (National To OSHA (Occupati PEL (Permissible Reportable Quar Skin designation	(S*) m Exposure Limit) d Limit Value)	cer) y and Health)	nent of Labor)	
Revision Date Revision Note No information ar Disclaimer	06-Sep-20 vailable	016		

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision Date 06-Sep-2016 Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Product code Pettit EZ Tex - Part B 710010B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restrictions on use Primers 2-Part Epoxy Copmpound No information available

1.3 Details of the supplier of the safety data sheet

Kop-Coat, Inc. / Pettit Marine Paint Marine Group 36 Pine Street Rockaway, NJ 07866 1-800-221-4466

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

2.2 Label elements

Signal Word Danger

Hazard Statements

Harmful if swallowed Causes severe skin burns and eye damage May cause an allergic skin reaction Suspected of damaging fertility or the unborn child May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing should not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

58% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance Mixture

Chemical Name	CAS-No	Weight %
Glyceryl poly(oxy propylene) triamine	64852-22-8	10 - 20
FORMALDEHYDE, POLYMER WITH	135108-88-2	10 - 20

84852-15-3	10 - 20
112-24-3	5 - 10
100-51-6	5 - 10
80-05-7	5 - 10
90-72-2	5 - 10
98-54-4	1 - 5
Proprietary	1 - 5
	112-24-3 100-51-6 80-05-7 90-72-2 98-54-4

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician or poison control center immediately.	
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.	
Inhalation	Move victim to fresh air. If not breathing, give artificial respiration. Keep victim warm and quiet. Call a physician or poison control center immediately.	
Ingestion	Gently wipe or rinse the inside of the mouth with water. Never give fluids if the victim is unconscious or having convulsions. Do NOT induce vomiting. If a person vomits when lying on his back, place him in the recovery position. Call a physician or poison control center immediately.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	See Section 2.2, Label Elements and/or Section 11, Toxicological effects.	
4.3 Indication of any immediate medical attention and special treatment needed		
Notes to physician	There is no specific antidote for effects from overexposure to this material. Treat symptomatically.	

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, fog, Carbon dioxide (CO₂), foam or dry chemical. Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire.

Unsuitable Extinguishing Media None known based on information supplied.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Combustion Products Possible formation of carbon oxides, nitrogen oxides, and hazardous organic compounds.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.3 Advice for firefighters

Evacuate personnel to safe areas. Move containers from fire area if you can do it without risk. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Cool containers with flooding quantities of water until well after fire is out. Thoroughly decontaminate all protective equipment after use. Use water spray to cool fire-exposed containers.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation, especially in confined areas. Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill. Keep people away from and upwind of spill/leak. Stop leak if you can do it without risk. Wear protective gloves/clothing and eye/face protection. Thoroughly decontaminate all protective equipment after use.

6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment	Dike to collect large liquid spills. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).	
Methods for cleaning up	Take up with sand, earth or other noncombustible absorbent material. Clean contaminated surface thoroughly.	
7 Handling and storage		

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Use according to package label instructions. Empty containers may retain product residue or vapor.
Hygiene measures	Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse.
7.2 Conditions for safe storage, inc	cluding any incompatibilities
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep away from food, drink and animal feedingstuffs. Keep from freezing.
Materials to Avoid	No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
TRIETHYLENETETRA	-	-				TWA: 0.5 ppm
MINE						TWA: 3 mg/m ³
112-24-3						Skin

8.2 Appropriate engineering controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Apply technical measures to comply with the occupational exposure limits.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection	Tightly fitting safety goggles.
Skin and body protection	Neoprene gloves. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Long sleeved clothing. Chemical resistant apron. Protective shoes or boots. Remove and wash contaminated clothing before re-use. Wear impervious gloves and/or clothing if needed to prevent contact with the material.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Paste/Gel Liquid		
Appearance	No information available		
Color	Gray		
Odor	Slight ammonia		
Odor Threshold	No information available		

<u>Property</u> pH	<u>Values</u>	Remarks • Methods
Melting/freezing point		No information available
Boiling point/boiling range		No information available
Flash Point		
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		
upper flammability limit		No information available
lower flammability limit		No information available
Vapor pressure		No information available
Vapor density		No information available
Specific Gravity		No information available
Water solubility		No information available
Solubility in other solvents		No information available
Partition coefficient		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic		
Viscosity, dynamic	160,000-230,000 cps @ 25 deg C	
Free la stran anno antis s		

Explosive properties Oxidizing Properties No information available No information available

<u>9.2 Other information</u> Volatile organic compounds (VOC) No information available content

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

None known based on information supplied.

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity	58% of the mixture consists of ingredient(s) of unknown toxicity
Oral LD50	698.00 mg/kg
Dermal LD50	2,726.00 mg/kg
Gas	20,472.00 mg/l
LC50 (Dust/Mist)	10.50 mg/l
LC50 (Vapor)	92.00 mg/l

Numerical measures of toxicity: Component Information

Chemical Name LD50 Oral		LD50 Oral LD50 Dermal	
4-NONYLPHENOL 84852-15-3	580 mg/kg (Rat)	= 2031 mg/kg (Rabbit)	-
TRIETHYLENETETRAMINE 112-24-3	2500 mg/kg (Rat)	= 550 mg/kg (Rabbit)	-
Benzyl alcohol 100-51-6	1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
4,4-ISOPROPYLIDENEDIPHENOL 80-05-7	3300 mg/kg (Rat)	= 3 mL/kg(Rabbit)	>0.17 mg/L (Rat)6 h
2,4,6-TRIS(DIMETHYLAMINOMET HYL)PHENOL 90-72-2	1000 mg/kg (Rat)	= 1280 mg/kg (Rat)	-
p-TERT-BUTYLPHENOL 98-54-4	2990 mg/kg (Rat)	= 2318 mg/kg (Rabbit)	-
Benzyldimethylamine	265 mg/kg (Rat)	-	-

11.2 Information on toxicological effects

Skin corrosion/irritation

<u>Product Information</u>No information available

Component Information

No information available

Serious eye damage/eye irritation

Product Information
No information available
Component Information
No information available

Respiratory or skin sensitization

Product Information • No information available <u>Component Information</u> • No information available

Germ cell mutagenicity

Product Information
No information available
Component Information
No information available

Carcinogenicity

Product Information • No information available <u>Component Information</u> • No information available

Reproductive toxicity

Product Information • No information available <u>Component Information</u> • No information available

STOT - single exposure No information available

STOT - repeated exposure No information available

Other adverse effects

Product Information • No information available <u>Component Information</u> • No information available

Aspiration hazard

Product Information
No information available
Component Information
No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

58 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
4-NONYLPHENOL 84852-15-3	EC50: 96 h Pseudokirchneriella subcapitata 0.36 - 0.48 mg/L static EC50: 72 h Pseudokirchneriella subcapitata 0.16 - 0.72 mg/L static EC50: 72 h Desmodesmus subspicatus 1.3 mg/L	LC50: 96 h Pimephales promelas 0.135 mg/L flow-through LC50: 96 h Lepomis macrochirus 0.1351 mg/L flow-through	EC50: 48 h Daphnia magna 0.14 mg/L
TRIETHYLENETETRAMINE 112-24-3	EC50: 72 h Desmodesmus subspicatus 2.5 mg/L EC50: 72 h Pseudokirchneriella subcapitata 20 mg/L EC50: 96 h Pseudokirchneriella subcapitata 3.7	LC50: 96 h Poecilia reticulata 570 mg/L semi-static LC50: 96 h Pimephales promelas 495 mg/L	EC50: 48 h Daphnia magna 31.1 mg/L

	mg/L		
Benzyl alcohol 100-51-6	-	LC50: 96 h Pimephales promelas 460 mg/L static LC50: 96 h Lepomis macrochirus 10 mg/L static	EC50: 48 h water flea 230 mg/L
4,4-ISOPROPYLIDENEDIPHENOL 80-05-7	EC50: 96 h Pseudokirchneriella subcapitata 2.5 mg/L	LC50: 96 h Pimephales promelas 3.6 - 5.4 mg/L flow-through LC50: 96 h Pimephales promelas 4.0 - 5.5 mg/L static LC50: 96 h Oncorhynchus mykiss 4 mg/L LC50: 96 h Brachydanio rerio 9.9 mg/L static	EC50: 48 h Daphnia magna 10.2 mg/L EC50: 48 h Daphnia magna 3.9 mg/L EC50: 48 h Daphnia magna 9.2 - 11.4 mg/L Static
p-TERT-BUTYLPHENOL 98-54-4	EC50: 72 h Desmodesmus subspicatus 11.2 mg/L	LC50: 96 h Pimephales promelas 4.71 - 5.62 mg/L flow-through LC50: 96 h Cyprinus carpio 6.9 mg/L static	EC50: 48 h Daphnia magna 3.9 mg/L EC50: 48 h Daphnia magna 3.4 - 4.5 mg/L Static
Benzyldimethylamine	-	LC50: 96 h Pimephales promelas 35.8 - 39.9 mg/L flow-through	-

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
TRIETHYLENETETRAMINE 112-24-3	-1.4
Benzyl alcohol 100-51-6	1.1
4,4-ISOPROPYLIDENEDIPHENOL 80-05-7	2.2
p-TERT-BUTYLPHENOL 98-54-4	2.44

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT Proper shipping name Marine Pollutant	UN3259, Amines, solid, corrosive, n.os. (ethylene amine), 8, PGIII This product contains a chemical which is listed as a marine pollutant according to DOT
MEX	no data available
IMDG Proper shipping name Marine pollutant	UN3259, Amines, solid, corrosive, n.os. (ethylene amine), 8, PGIII This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO
Description	(nonyl phenol)
IATA Proper shipping name	UN3259, Amines, solid, corrosive, n.os. (ethylene amine), 8, PGIII

15. Regulatory information

15.1 International Inventories

TSCA	Complies
DSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIOC	-

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
4,4-ISOPROPYLIDENEDIPHENOL	1.0
80-05-7	

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

16. Other information				
<u>NFPA</u>	Health Hazard 3	Flammability 1	Instability 0	Physical and chemical hazards
HMIS	Health Hazard 3*	Flammability 1	Physical Hazard 0	Personal protection X
<u>Legend:</u> ACGIH (American Conference of Governmental Industrial Hygienists) Ceiling (C) DOT (Department of Transportation)				

DOT (Department of Transportation) EPA (Environmental Protection Agency) IARC (International Agency for Research on Cancer) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) NIOSH (National Institute for Occupational Safety and Health) NTP (National Toxicology Program) OSHA (Occupational Safety and Health Administration of the US Department of Labor) PEL (Permissible Exposure Limit) Reportable Quantity (RQ) Skin designation (S*) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) TWA (time-weighted average) Revision Date Revision Note No information available <u>Disclaimer</u> 06-Sep-2016

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet