SAFETY DATA SHEET

Revision Date 06-Sep-2016
Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Pettit EZ Tex - Part B
Product code 710010B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Primers 2-Part Epoxy Copmpound
Restrictions on use No information available

1.3 Details of the supplier of the safety data sheet

Supplier

Kop-Coat, Inc. / Pettit Marine Paint
Marine Group
36 Pine Street
Rockaway, NJ 07866
1-800-221-4466

1.4 Emergency telephone number

Emergency telephone number

Chemtrec: +1 703-527-3887 ex-USA
Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

2.2 Label elements

Signal Word
Danger

Hazard Statements
Harmful if swallowed
Causes severe skin burns and eye damage
May cause an allergic skin reaction
Suspected of damaging fertility or the unborn child
May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Contaminated work clothing should not be allowed out of the workplace
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response
Immediately call a POISON CENTER or doctor
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Immediately call a POISON CENTER or doctor
IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
Rinse mouth
Do NOT induce vomiting

Precautionary Statements - Storage
Store locked up

Precautionary Statements - Disposal
Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)
Not Applicable

2.4 Other information
Not Applicable

Unknown Acute Toxicity 58% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance
Mixture

Chemical Name	CAS-No	Weight %

Glyceryl poly(oxy propylene) triamine	64852-22-8	10 - 20
FORMALDEHYDE, POLYMER WITH BENZENEAMINE, HYDROGENATED	135108-88-2	10 - 20
4-NONYLPHENOL	84852-15-3	10 - 20
TRIETHYLENETETRAMINE	112-24-3	5 - 10
Benzyl alcohol	100-51-6	5 - 10
4,4-ISOPROPYLIDENEDIPHENOL	80-05-7	5 - 10
2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL	90-72-2	5 - 10
p-TERT-BUTYLPHENOL	98-54-4	1 - 5
Benzyldimethylamine	Proprietary	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician or poison control center immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Inhalation Move victim to fresh air. If not breathing, give artificial respiration. Keep victim warm and quiet. Call a physician or poison control center immediately.

Ingestion Gently wipe or rinse the inside of the mouth with water. Never give fluids if the victim is unconscious or having convulsions. Do NOT induce vomiting. If a person vomits when lying on his back, place him in the recovery position. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician There is no specific antidote for effects from overexposure to this material. Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media
Use water spray, fog, Carbon dioxide (CO_2), foam or dry chemical. Water may be used to cool and prevent the rupture of containers that are exposed to the heat from a fire.

Unsuitable Extinguishing Media None known based on information supplied.

5.2 Special hazards arising from the substance or mixture

Special Hazard
Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Combustion Products Possible formation of carbon oxides, nitrogen oxides, and hazardous organic compounds.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

5.3 Advice for firefighters

Evacuate personnel to safe areas. Move containers from fire area if you can do it without risk. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Cool containers with flooding quantities of water until well after fire is out. Thoroughly decontaminate all protective equipment after use. Use water spray to cool fire-exposed containers.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation, especially in confined areas. Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill. Keep people away from and upwind of spill/leak. Stop leak if you can do it without risk. Wear protective gloves/clothing and eye/face protection. Thoroughly decontaminate all protective equipment after use. .

6.2 Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Dike to collect large liquid spills. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Take up with sand, earth or other noncombustible absorbent material. Clean contaminated surface thoroughly.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Use according to package label instructions. Empty containers may retain product residue or vapor.

Hygiene measures Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep away from food, drink and animal feedingstuffs. Keep from freezing.

Materials to Avoid No materials to be especially mentioned.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
TRIETHYLENETETRAMINE 112-24-3	-	-				TWA: 0.5 ppm TWA: 3 mg/m³ Skin

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Apply technical measures to comply with the occupational exposure limits.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and body protection Neoprene gloves. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Long sleeved clothing. Chemical resistant apron. Protective shoes or boots. Remove and wash contaminated clothing before re-use. Wear impervious gloves and/or clothing if needed to prevent contact with the material.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Paste/Gel Liquid
Appearance	No information available
Color	Gray
Odor	Slight ammonia
Odor Threshold	No information available

Property	Values	Remarks • Methods
pH		
Melting/freezing point		No information available
Boiling point/boiling range		No information available
Flash Point		
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		
upper flammability limit		No information available
lower flammability limit		No information available
Vapor pressure		No information available
Vapor density		No information available
Specific Gravity		No information available
Water solubility		No information available
Solubility in other solvents		No information available
Partition coefficient		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic		
Viscosity, dynamic	160,000-230,000 cps @ 25 deg C	
Explosive properties		No information available
Oxidizing Properties		No information available

9.2 Other information

Volatile organic compounds (VOC) content	No information available

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

None known based on information supplied.

10.5 Incompatible Materials

No materials to be especially mentioned.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity 58% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50	698.00 mg/kg
Dermal LD50	2,726.00 mg/kg
Gas	20,472.00 mg/l
LC50 (Dust/Mist)	10.50 mg/l
LC50 (Vapor)	92.00 mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
4-NONYLPHENOL 84852-15-3	580 mg/kg (Rat)	= 2031 mg/kg (Rabbit)	-
TRIETHYLENETETRAMINE 112-24-3	2500 mg/kg (Rat)	= 550 mg/kg (Rabbit)	-
Benzyl alcohol 100-51-6	1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
4,4-ISOPROPYLIDENEDIPHENOL 80-05-7	3300 mg/kg (Rat)	= 3 mL/kg (Rabbit)	> 0.17 mg/L (Rat) 6 h
2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL 90-72-2	1000 mg/kg (Rat)	= 1280 mg/kg (Rat)	-
p-TERT-BUTYLPHENOL 98-54-4	2990 mg/kg (Rat)	= 2318 mg/kg (Rabbit)	-
Benzyldimethylamine	265 mg/kg (Rat)	-	-

11.2 Information on toxicological effects

Skin corrosion/irritation
Product Information
• No information available
Component Information
• No information available

Serious eye damage/eye irritation
Product Information
• No information available
Component Information
• No information available

Respiratory or skin sensitization
Product Information
• No information available
Component Information
• No information available

Germ cell mutagenicity
Product Information
• No information available
Component Information
• No information available

Carcinogenicity

Product Information
• No information available
Component Information
• No information available

Reproductive toxicity
Product Information
• No information available
Component Information
• No information available

STOT - single exposure
No information available

STOT - repeated exposure
No information available

Other adverse effects
Product Information
• No information available
Component Information
• No information available

Aspiration hazard
Product Information
• No information available
Component Information
• No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity No information available

58 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
4-NONYLPHENOL 84852-15-3	EC50: 96 h Pseudokirchneriella subcapitata 0.36 - 0.48 mg/L static EC50: 72 h Pseudokirchneriella subcapitata 0.16 - 0.72 mg/L static EC50: 72 h Desmodesmus subspicatus 1.3 mg/L	LC50: 96 h Pimephales promelas 0.135 mg/L flow-through LC50: 96 h Lepomis macrochirus 0.1351 mg/L flow-through	EC50: 48 h Daphnia magna 0.14 mg/L
TRIETHYLENETETRAMINE 112-24-3	EC50: 72 h Desmodesmus subspicatus 2.5 mg/L EC50: 72 h Pseudokirchneriella subcapitata 20 mg/L EC50: 96 h Pseudokirchneriella subcapitata 3.7 mg/L	LC50: 96 h Poecilia reticulata 570 mg/L semi-static LC50: 96 h Pimephales promelas 495 mg/L	EC50: 48 h Daphnia magna 31.1 mg/L
Benzyl alcohol 100-51-6	-	LC50: 96 h Pimephales promelas 460 mg/L static LC50: 96 h Lepomis macrochirus 10 mg/L static	EC50: 48 h water flea 230 mg/L
4,4-ISOPROPYLIDENEDIPHENOL 80-05-7	EC50: 96 h Pseudokirchneriella subcapitata 2.5 mg/L	LC50: 96 h Pimephales promelas 3.6 - 5.4 mg/L flow-through LC50: 96 h Pimephales promelas 4.0 - 5.5 mg/L static LC50: 96 h Oncorhynchus mykiss 4 mg/L LC50: 96 h Brachydanio rerio 9.9 mg/L static	EC50: 48 h Daphnia magna 10.2 mg/L EC50: 48 h Daphnia magna 3.9 mg/L EC50: 48 h Daphnia magna 9.2 - 11.4 mg/L Static

p-TERT-BUTYLPHENOL 98-54-4	EC50: 72 h Desmodesmus subspicatus 11.2 mg/L	LC50: 96 h Pimephales promelas 4.71 - 5.62 mg/L flow-through LC50: 96 h Cyprinus carpio 6.9 mg/L static	EC50: 48 h Daphnia magna 3.9 mg/L EC50: 48 h Daphnia magna 3.4 - 4.5 mg/L Static
Benzyldimethylamine	-	LC50: 96 h Pimephales promelas 35.8 - 39.9 mg/L flow-through	-

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
TRIETHYLENETETRAMINE 112-24-3	-1.4
Benzyl alcohol 100-51-6	1.1
4,4-ISOPROPYLIDENEDIPHENOL 80-05-7	2.2
p-TERT-BUTYLPHENOL 98-54-4	2.44

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Proper shipping name UN3259, Amines, solid, corrosive, n.os. (ethylene amine), 8, PGIII
Marine Pollutant This product contains a chemical which is listed as a marine pollutant according to DOT

MEX no data available

IMDG

Proper shipping name UN3259, Amines, solid, corrosive, n.os. (ethylene amine), 8, PGIII
Marine pollutant This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO
Description (nonyl phenol)

IATA

Proper shipping name UN3259, Amines, solid, corrosive, n.os. (ethylene amine), 8, PGIII

15. Regulatory information

15.1 International Inventories

TSCA Complies
DSL -
EINECS/ELINCS -

ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIoC	-

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL - Canadian Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
4,4-ISOPROPYLIDENEDIPHENOL 80-05-7	1.0

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65
This product does not contain any Proposition 65 chemicals

16. Other information

NFPA	**Health Hazard** 3	**Flammability** 1	**Instability** 0	**Physical and chemical hazards** -
HMIS	**Health Hazard** 3*	**Flammability** 1	**Physical Hazard** 0	**Personal protection** X

Legend:
ACGIH (American Conference of Governmental Industrial Hygienists)
Ceiling (C)
DOT (Department of Transportation)
EPA (Environmental Protection Agency)
IARC (International Agency for Research on Cancer)
International Air Transport Association (IATA)
International Maritime Dangerous Goods (IMDG)
NIOSH (National Institute for Occupational Safety and Health)
NTP (National Toxicology Program)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEL (Permissible Exposure Limit)
Reportable Quantity (RQ)
Skin designation (S*)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
TWA (time-weighted average)

Revision Date 06-Sep-2016
Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet