

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Date of issue: 04/14/2015

Version: 3.0

#### **SECTION 1: IDENTIFICATION**

**Product Identifier Product Form:** Mixture

**Product Name:** Ultimate Citrus Cleaner & Degreaser

**Product Code: 964XX** 

**Intended Use of the Product** 

Cleaner

Name, Address, and Telephone of the Responsible Party

**Company** Star brite Inc.

4041 SW 47<sup>th</sup> Avenue Fort Lauderdale, FL 33314

(954)587-6280 www.starbrite.com

**Emergency Telephone Number** 

**Emergency Number**: US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the Substance or Mixture

Classification (GHS-US) Eye Dam. 1 H318

Skin Sens. 1 H317

Full text of H-phrases: see section 16

**Label Elements GHS-US Labeling** 

**Hazard Pictograms (GHS-US)** 





Signal Word (GHS-US) : Danger

**Hazard Statements (GHS-US)** : H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

**Precautionary Statements (GHS-US)**: P261 - Avoid breathing vapors, mist, or spray.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor. P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

territorial, provincial, and international regulations.

**Other Hazards** 

**Aquatic Acute 3 H402** 

H402 - Harmful to aquatic life.

P273 - Avoid release to the environment.

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

08/06/2015 IEATT.B-CC EN (English US) 1/13

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Unknown Acute Toxicity (GHS-US)** Not available

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### **Mixture**

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Tetrasodium EDTA	(CAS No) 64-02-8	1 - 5	Comb. Dust, H232
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
Alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302
·			Eye Dam. 1, H318
Dipropylene glycol monomethyl ether	(CAS No) 34590-94-8	0.1 – 1	Flam. Liq. 4, H227
Sodium xylene sulfonate	(CAS No) 1300-72-7	0.1 - 1	Eye Irrit. 2A, H319
Nitrilotriacetic acid trisodium salt†	(CAS No) 5064-31-3	< 0.1	Acute Tox. 4 (Oral), H302
		0.1 - 1	Eye Irrit. 2A, H319
			Carc. 2, H351
Sodium hydroxide	(CAS No) 1310-73-2	< 0.1	Met. Corr. 1, H290
·		0.1 - 1	Skin Corr. 1A, H314
			Eye Dam. 1, H318
			Aquatic Acute 3, H402
Octylphenol ethoxylate	(CAS No) 9036-19-5	0.1 - 1	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
			Aquatic Acute 1, H400
			Aquatic Chronic 3, H412
D-Limonene	(CAS No) 5989-27-5	0.1 - 1	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			Skin Sens. 1, H317
			Asp. Tox. 1, H304
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

#### **SECTION 4: FIRST AID MEASURES**

# **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor/physician if you feel unwell.

## **Most Important Symptoms and Effects Both Acute and Delayed**

**General:** Causes serious eye damage. May cause an allergic skin reaction.

**Inhalation:** May cause irritation to the respiratory tract.

**Skin Contact:** May cause an allergic skin reaction. May cause skin irritation.

Eye Contact: Causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva. Can cause blindness.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

<sup>\*</sup>More than one of the ranges of concentration prescribed by Controlled Products Regulations has been used where necessary, due to varying composition. The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200].

 $<sup>\</sup>dagger$  The carcinogen classification is applicable to the overall product only if this ingredient is >= 5% of the mixture. The Carc. 2 classification does not apply for this product.

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Chronic Symptoms: None known.

# **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

Suitable Extinguishing Media: Dry powder, alcohol-resistant foam, water in large amounts, carbon dioxide (CO<sub>2</sub>).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

# Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

#### **Advice for Firefighters**

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition. Do not allow run-off from firefighting to enter drains or water courses.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

#### **Reference to Other Sections**

Refer to section 9 for flammability properties.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions, Protective Equipment and Emergency Procedures**

General Measures: Avoid all eyes and skin contact and do not breathe vapor, mist, and spray.

**For Non-Emergency Personnel** 

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

**For Emergency Personnel** 

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Eliminate ignition sources. Evacuate unnecessary personnel. Stop leak if safe to do so.

#### **Environmental Precautions**

Prevent entry to sewers and public waters.

#### Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Contact competent authorities after a spill.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

## **SECTION 7: HANDLING AND STORAGE**

# **Precautions for Safe Handling**

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Store locked up.

Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Caustic products. Alkaline substances. Halogens.

## **Specific End Use(s)**

Cleaner.

08/06/2015 EATT.B-CC EN (English US) 3/13

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

Sodium hydroxide (1310-73-2)		
<u> </u>		0 3
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	2 mg/m³
USA IDIH	US IDLH (mg/m³)	10 mg/m³
Alberta	OEL Ceiling (mg/m³)	2 mg/m³
British Columbia	OEL Ceiling (mg/m³)	2 mg/m³
Manitoba	OEL Ceiling (mg/m³)	2 mg/m³
New Brunswick	OEL Ceiling (mg/m³)	2 mg/m³
Newfoundland & Labrador	OEL Ceiling (mg/m³)	2 mg/m³
Nova Scotia	OEL Ceiling (mg/m³)	2 mg/m <sup>3</sup>
Nunavut	OEL Ceiling (mg/m³)	2 mg/m <sup>3</sup>
Northwest Territories	OEL Ceiling (mg/m³)	2 mg/m <sup>3</sup>
Ontario	OEL Ceiling (mg/m³)	2 mg/m <sup>3</sup>
Prince Edward Island	OEL Ceiling (mg/m³)	2 mg/m <sup>3</sup>
Québec	PLAFOND (mg/m³)	2 mg/m <sup>3</sup>
Saskatchewan	OEL Ceiling (mg/m³)	2 mg/m <sup>3</sup>
Yukon	OEL Ceiling (mg/m³)	2 mg/m <sup>3</sup>
Dipropylene glycol monome		
USA ACGIH	ACGIH TWA (ppm)	100 ppm
USA ACGIH	ACGIH STEL (ppm)	150 ppm
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure
	ine and one mean entergory	by the cutaneous route
USA OSHA	OSHA PEL (TWA) (mg/m³)	600 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm
USA OSHA	Limit value category (OSHA)	prevent or reduce skin absorption
USA NIOSH	NIOSH REL (TWA) (mg/m³)	600 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	900 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (STEL) (ppm)	150 ppm
USA IDLH	US IDLH (ppm)	600 ppm
Alberta	OEL STEL (mg/m³)	909 mg/m <sup>3</sup>
Alberta	OEL STEL (ppm)	150 ppm
Alberta	OELTWA (mg/m³)	606 mg/m <sup>3</sup>
Alberta	OELTWA (ppm)	100 ppm
British Columbia	OEL STEL (ppm)	150 ppm
British Columbia	OELTWA (ppm)	100 ppm
Manitoba	OEL STEL (ppm)	150 ppm
Manitoba	OELTWA (ppm)	100 ppm
New Brunswick	OEL STEL (mg/m³)	909 mg/m <sup>3</sup>
New Brunswick	OEL STEL (ppm)	150 ppm
New Brunswick	OEL TWA (mg/m³)	606 mg/m <sup>3</sup>
New Brunswick	OELTWA (ppm)	100 ppm
Newfoundland & Labrador	OEL STEL (ppm)	150 ppm
Newfoundland & Labrador	OEL TWA (ppm)	100 ppm
Nova Scotia	OEL TWA (ppm)	150 ppm
110 TH SCOUL	OTHOTHE (Phin)	100 hhm

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Nova Scotia	OELTWA (ppm)	100 ppm
Nunavut	OEL STEL (mg/m³)	909 mg/m³
Nunavut	OEL STEL (ppm)	150 ppm
Nunavut	OEL TWA (mg/m³)	606 mg/m <sup>3</sup>
Nunavut	OELTWA (ppm)	100 ppm
Northwest Territories	OEL STEL (mg/m³)	909 mg/m <sup>3</sup>
Northwest Territories	OEL STEL (ppm)	150 ppm
Northwest Territories	OELTWA (mg/m³)	606 mg/m <sup>3</sup>
Northwest Territories	OEL TWA (ppm)	100 ppm
Ontario	OEL STEL (ppm)	150 ppm
Ontario	OELTWA (ppm)	100 ppm
Prince Edward Island	OEL STEL (ppm)	150 ppm
Prince Edward Island	OELTWA (ppm)	100 ppm
Québec	VECD (mg/m³)	909 mg/m <sup>3</sup>
Québec	VECD (ppm)	150 ppm
Québec	VEMP (mg/m³)	606 mg/m <sup>3</sup>
Québec	VEMP (ppm)	100 ppm
Saskatchewan	OEL STEL (ppm)	150 ppm
Saskatchewan	OELTWA (ppm)	100 ppm

#### **Exposure Controls**

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment:** Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing: Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Consumer Exposure Controls:** Do not eat, drink or smoke during use

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance: Orange LiquidOdor: CharacteristicOdor Threshold: Not available

pH : 12

**Evaporation Rate** Not available **Melting Point** 0 °C (32 °F) **Freezing Point** Not available **Boiling Point** 100 °C (212 °F) **Flash Point** Not available **Auto-ignition Temperature** Not available Not available **Decomposition Temperature** Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Vapor Pressure: Not availableRelative Vapor Density at 20 °C: Not availableRelative Density: Not availableSpecific Gravity: 1.0225

**Solubility** : Soluble in water **Partition Coefficient: N-Octanol/Water** : Not available **Viscosity** : Not available

**Explosion Data – Sensitivity to Mechanical Impact** : Not expected to present an explosion hazard due to mechanical impact. **Explosion Data – Sensitivity to Static Discharge** : Not expected to present an explosion hazard due to static discharge.

#### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Hazardous reactions will not occur under normal conditions.

**Chemical Stability:** Stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

<u>Conditions to Avoid</u>: Direct sunlight. Extremely high or low temperatures. Sources of ignition. Incompatible materials. **Incompatible Materials**: Strong acids. Strong bases. Strong oxidizers. Caustic products. Alkaline substances. Halogens.

Hazardous Decomposition Products: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Aldehydes. Ketones. Organic acids. Sulfur oxides.

Metal oxides. Sodium oxides.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# Information on Toxicological Effects - Product

Acute Toxicity: Not classified ID50 and IC50 Data: Not available Skin Corrosion/Irritation: Not classified.

**pH**: 12

Serious Eye Damage/Irritation: Causes serious eye damage.

**pH**: 12

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

**Teratogenicity:** Not classified **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

**Aspiration Hazard: Not classified** 

Symptoms/Injuries After Inhalation: May cause irritation to the respiratory tract.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. May cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva. Can cause blindness.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

**Information on Toxicological Effects - Ingredient(s)** 

ID50 and IC50 Data:

Tetrasodium EDTA (64-02-8)	
ID50 Oral Rat	1780 mg/kg
ATE US (dust, mist)	1.50 mg/l/4h
Nitrilotriacetic acid trisodium salt (5064-31-3)	
ID50 Oral Rat	1740 mg/kg
ID50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 5 mg/l/4h
Dipropylene glycol monomethyl ether (34590-94-8)	
ID50 Oral Rat	5230 mg/kg

08/06/2015 IEATT.B-CC EN (English US) 6/13

# **Ultimate Citrus Cleaner & Degreaser** Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

ID50 Dermal Rabbit	9500 mg/kg	
Alcohols, C9-11, ethoxylated (68439-46-3)		
ID50 Oral Rat	1400 mg/kg	
ID50 Dermal Rat	> 2 g/kg	
<b>D-Limonene (5989-27-5)</b>		
ID50 Oral Rat	4400 mg/kg	
ID50 Dermal Rabbit	> 5 g/kg	
ATE US (oral)	4,400.00 mg/kg body weight	
Octylphenol ethoxylate (9036-19-5)		
ID50 Oral Rat	1700 mg/kg	
Sodium xylene sulfonate (1300-72-7)		
ID50 Oral Rat	> 5000 mg/kg	
ID50 Dermal Rabbit	> 2000 mg/kg	
Nitrilotriacetic acid trisodium salt (5064-31-3)		
IARC Group	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
D-Limonene (5989-27-5)		
IARC Group	3	
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.	

# **SECTION 12: ECOLOGICAL INFORMATION**

# **Toxicity**

**Ecology** - **General:** Harmful to aquatic life.

Tetrasodium EDTA (64-02-8)			
LC50 Fish 1	486 (Exposure time: 96h - Species: Lepomis macrochirus )		
EC50 Daphnia 1	625 mg/l (Exposure time: 24 h - Species: Daphnia magna)		
ErC50 (algae)	3 mg/l (exposure time: 96 h - Species:Green Algae)		
Sodium hydroxide (1310-73-2)			
IC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 1	40 mg/l		
Nitrilotriacetic acid trisodium salt (5064	-31-3)		
IC50 Fish 1	93 - 170 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 Daphnia 1	560 - 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
IC 50 Fish 2	175 - 225 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
Dipropylene glycol monomethyl ether (3	34590-94-8)		
IC50 Fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 1	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
D-Limonene (5989-27-5)			
IC50 Fish 1	0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
IC 50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
Octylphenol ethoxylate (9036-19-5)			
IC50 Fish 1	7.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 1	8.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [static])		
ErC50 (algae)	0.21 mg/l (Exposure time: 96 h - Species: Selenastrum Green Algae)		
Sodium xylene sulfonate (1300-72-7)			
EC50 Daphnia 1	> 1020 ml/l (Exposure time: 48 h - Species: Daphnia magna [Flow-through])		

# **Persistence and Degradability**

Ultimate Citrus Cleaner & Degreaser	
Persistence and Degradability	Not established.

EN (English US) 7/13

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Dipropylene glycol monomethyl ether (34590-94-8)		
Persistence and Degradability	Readily biodegradable.	
<b>Bioaccumulative Potential</b>		
Ultimate Citrus Cleaner & Degreaser		
Bioaccumulative Potential	Not established.	
Tetrasodium EDTA (64-02-8)		
og Pow 5.01 (calculated)		
Dipropylene glycol monomethyl ether (34590-94-8)		
Log Pow	-0.064 (at 20 °C)	
Bioaccumulative Potential Not expected to bioaccumulate.		
3.5 3.00. 4.0 00		

Mobility in Soil Not available

**Other Adverse Effects** 

Other Information: Avoid release to the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Sewage Disposal Recommendations:** Do not empty into drains; dispose of this material and its container in a safe way.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

## SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/DOT/TDG/IMDG

**UN Number** Not regulated for transport.

**UN Proper Shipping Name** Not regulated for transport.

**Transport Hazard Class(es)** Not regulated for transport.

**Additional Information** Not available

**Marine Pollutant: No** 

**Transport by sea** Not regulated for transport.

Air transport Not regulated for transport.

# **SECTION 15: REGULATORY INFORMATION**

# **US Federal Regulations**

<u></u>		
Ultimate Citrus Cleaner & Degreaser		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
	Delayed (chronic) health hazard	
Tetrasodium EDTA (64-02-8)		
Listed on the United States TSCA (Toxic Substances Control Act)	inventory	
Sodium hydroxide (1310-73-2)		
<b>Listed on the United States TSCA (Toxic Substances Control Act)</b>	inventory	
ARA Section 311/312 Hazard Classes Immediate (acute) health hazard		
Nitrilotriacetic acid trisodium salt (5064-31-3)		
Listed on the United States TSCA (Toxic Substances Control Act)	inventory	
Dipropylene glycol monomethyl ether (34590-94-8)		
Listed on the United States TSCA (Toxic Substances Control Act)	inventory	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test	
rule under TSCA.		
Alcohols, C9-11, ethoxylated (68439-46-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
D-Limonene (5989-27-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Octylphenol ethoxylate (9036-19-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

## Sodium xylene sulfonate (1300-72-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## **US State Regulations**

#### **Tetrasodium EDTA (64-02-8)**

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Sodium hydroxide (1310-73-2)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits Ceilings
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits Ceilings
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits Ceilings
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits Ceilings
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term U.S. - Vermont - Permissible Exposure Limits - Ceilings
- U.S. Washington Permissible Exposure Limits Ceilings
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

## Nitrilotriacetic acid trisodium salt (5064-31-3)

- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

- RTK U.S. Massachusetts Right To Know List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Dipropylene glycol monomethyl ether (34590-94-8)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits Skin Designations
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits Skin Designations
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Occupational Exposure Limits Skin Designations
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits Skin Designations
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits Skin Designations
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- **U.S.** Vermont Permissible Exposure Limits Skin Designations
- **U.S. Vermont Permissible Exposure Limits STELs**
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits Skin Designations
- **U.S. Washington Permissible Exposure Limits STELs**
- U.S. Washington Permissible Exposure Limits TWAs

### Alcohols, C9-11, ethoxylated (68439-46-3)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### **D-Limonene (5989-27-5)**

- U.S. Maine Chemicals of High Concern
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Chemicals of High Concern Persistent Bioaccumulative Toxins
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Octylphenol ethoxylate (9036-19-5)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Sodium xylene sulfonate (1300-72-7)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

#### **Canadian Regulations**

Ultimate	Citrus	Cleaner	&	Degreaser
----------	--------	---------	---	-----------

WHMIS Classification

Class E - Corrosive Material

Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

Class D Division 2 Subdivision B - Toxic material causing other toxic effects





Tetrasodiu	m EDTA	(64-02-8)
------------	--------	-----------

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class E - Corrosive Material

Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

Listed on the Canadian IDL (Ingredient Disclosure List)

**IDL Concentration 1%** 

WHMIS Classification | Class E - Corrosive Material

Nitrilotriacetic acid trisodium salt (5064-31-3)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

Class E - Corrosive Material

Dipropylene glycol monomethyl ether (34590-94-8)

Listed on the Canadian DSL (Domestic Substances List)

Listed on the Canadian IDL (Ingredient Disclosure List)

**IDL Concentration 1 %** 

WHMIS Classification Class B Division 3 - Combustible Liquid

Alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects

**D-Limonene (5989-27-5)** 

**Listed on the Canadian DSL (Domestic Substances List)** 

Listed on the Canadian IDL (Ingredient Disclosure List)

**IDL Concentration 1%** 

WHMIS Classification Class B Division 3 - Combustible Liquid

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Octylphenol ethoxylate (9036-19-5)

Listed on the Canadian DSL (Domestic Substances List)

Listed on the Canadian IDL (Ingredient Disclosure List)

**IDL Concentration 1%** 

WHMIS Classification Class E - Corrosive Material

Sodium xylene sulfonate (1300-72-7)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 08/06/2015

# **Ultimate Citrus Cleaner & Degreaser** Safety Data Sheet

 $According \ To \ Federal \ Register \ / \ Vol. \ 77, \ No. \ 58 \ / \ Monday, \ March \ 26, \ 2012 \ / \ Rules \ And \ Regulations$ 

Other Information

 $: \ \, \textbf{This document has been prepared in accordance with the SDS requirements of the OSHA} \\$ Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation: gas)	Acute toxicity (inhalation: gas) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Inhalation: dust,mist)	Acute toxicity (inhalation: dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H226	Flammable liquid and vapor
H227	Combustible liquid
H232	May form combustible dust concentrations in air
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

08/06/2015 IEATT.B-CC EN (English US) 12/13

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

NFPA Health Hazard : 3 - Short exposure could cause serious temporary or


residual injury even though prompt medical attention was

given.

**NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.

**NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



## Party Responsible for the Preparation of This Document

**Starbrite®** 

Phone Number: (954)587-6280

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2

08/06/2015 EATT.B-CC EN (English US) 13/13