

WOODY WAX / TOWER PLUS 2000

Safety Data Sheet WOODY WAX

SECTION 1: Identification

1.1 GHS Product identifier

Product name WOODY WAX

1.2 Other means of identification

LIGHT BROWN LIQUID

1.3 Recommended use of the chemical and restrictions on use

CORROSION BLOCKING AND RESTORATION PRODUCT FOR ALL METALS, NONSKID DECK WAX, AND CORROSION BLOCKING SPRAY FOR ELECTRONICS.

1.4 Supplier's details

Name Woody Wax / Tower Plus 2000
Address 137 Commerce Ave
Lake Placid FL 33852
US

Telephone 561-741-4424
email woodywax22@aol.com

1.5 Emergency phone number

1-800-619-4363

SECTION 2: Hazard identification

General hazard statement

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Aspiration hazard, Cat. 1
- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1

2.2 GHS label elements, including precautionary statements.

Pictograms



Signal word

Danger

Safety Data Sheet

WOODY WAX

Hazard statement(s)

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Precautionary statement(s)

P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash ... thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/...
P321	Specific treatment (see ... on this label).
P331	Do NOT induce vomiting.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

1. Distillates (petroleum), hydrotreated heavy paraffinic, if they contain > 3 % w/w DMSO extract

Concentration	30 - 75 % (weight)
EC no.	265-157-1
CAS no.	64742-54-7
Index no.	649-467-00-8

- Carcinogenicity, Cat. 1B

H350	May cause cancer [route]
------	--------------------------

2. Distillates, petroleum, hydrotreated light

Concentration	30 - 75 % (weight)
EC no.	265-149-8
CAS no.	64742-47-8

- Aspiration hazard, Cat. 1
- Flammable liquids, Cat. 4
- Hazardous to the aquatic environment, long-term (chronic), Cat. 2
- Specific target organ toxicity (single exposure), Cat. 3
- Skin corrosion/irritation, Cat. 2

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.

Safety Data Sheet

WOODY WAX

H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects

3. Proprietary blend of natural and synthetic waxes
Concentration 10 - 30 % (weight)

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled	Ensure adequate ventilation. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation. For precautions see section 2.2.
In case of skin contact	Skin Protection: None required with normal household use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed.
na

4.3 Indication of immediate medical attention and special treatment needed, if necessary
na

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media
Co2, Dry Chemical, Foam

5.2 Specific hazards arising from the chemical.
na

5.3 Special protective actions for fire-fighters
na

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures
Personal precautions, protective equipment, and emergency procedures
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up.

Safety Data Sheet

WOODY WAX

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Storage Temperature: 0-49 C

7.2 Conditions for safe storage, including any incompatibilities.

Keep it in closed container.

Specific end use(s)

Avoid contact with skin and eyes.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Distillates (petroleum), hydrotreated heavy paraffinic, if they contain > 3 % w/w DMSO extract (CAS: 64742-54-7 EC: 265-157-1)

2. Distillates, petroleum, hydrotreated light (CAS: 64742-47-8 EC: 265-149-8)

8.2 Appropriate engineering controls

Provide forced air ventilation in tanks and confined spaces.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Use chemical eye goggles when spraying.

Skin protection

Use protective clothing. wash effected area with soap and water.

Respiratory protection

na

SECTION 9: Physical and chemical properties

Basic physical and chemical properties

Physical state	Liquid
Appearance	light brown liquid
Color	brown
Odor	a mild hydrocarbon with a woody odor
Odor threshold	na
Melting point/freezing point	<10 deg C
Boiling point or initial boiling point and boiling range	139 deg C
Flammability	combustible
Lower and upper explosion limit/flammability limit	na
Flash point	101 deg C
Explosive properties	na
Auto-ignition temperature	na
Decomposition temperature	na

Safety Data Sheet

WOODY WAX

Oxidizing properties	na
pH	7.4
Kinematic viscosity	<21.0 @100 C
Solubility	immiscible
Partition coefficient n-octanol/water (log value)	na
Vapor pressure	50mm Hg
Evaporation rate	<1.0
Density and/or relative density	na
Relative vapor density	na

SECTION 10: Stability and reactivity

10.1 Reactivity

na

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Combustion can produce a variety of compounds including oxides of sulfur, oxides of carbon, water vapor and unidentified organic and inorganic compounds some of which may be toxic.

10.4 Conditions to avoid.

Flame exposure, high temperatures and strong oxidizers.

10.5 Incompatible materials

na

10.6 Hazardous decomposition products

na

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

na

Skin corrosion/irritation

skin irritation can happen during prolonged contact.

Serious eye damage/irritation

minimal irritation

Respiratory or skin sensitization

Pulmonary abnormalities can result due to excessive exposure without proper ventilation.

Germ cell mutagenicity

na

Carcinogenicity

na

Reproductive toxicity

na

Safety Data Sheet

WOODY WAX

Specific target organ toxicity (STOT) - single exposure

na

Specific target organ toxicity (STOT) - repeated exposure

na

Aspiration hazard

na

SECTION 12: Ecological information

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Product should be disposed of in accordance with all local and federal regulations.

SECTION 14: Transport information

DOT (US)

UN Number: none

Class: none

Packing Group: none

Proper Shipping Name: none

Reportable quantity (RQ):

Marine pollutant: none

Poison inhalation hazard:

IMDG

UN Number: none

Class: none

Packing Group: none

EMS Number: none

Proper Shipping Name: none

IATA

UN Number: none

Class: none

Packing Group: none

Proper Shipping Name: none

SECTION 15: Regulatory information

SECTION 16: Other information